

Report ID: 360172
Date of sample receipt: 16/11/23
Date of issue: 06/12/23

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

SAMPLE N° 360172

Overall dimensions: 550 x 505 x 780 (h) mm

List of test reports:

1. Safety requirements EN 16139:2013+AC:2013
2. Information for use EN 16139:2013+AC:2013
3. Seat and back static load test and seat front edge static load test EN 1728:2012+AC:2013
4. Vertical load on back rest EN 1728:2012+AC:2013
5. Seat and back fatigue test EN 1728:2012+AC:2013
6. Seat front edge durability test EN 1728:2012+AC:2013
7. Leg forward static load test EN 1728:2012+AC:2013
8. Leg sideways static load test EN 1728:2012+AC:2013
9. Seat impact test EN 1728:2012+AC:2013
10. Back impact test EN 1728:2012+AC:2013
11. Stability - EN 1022:2005
12. Stability EN 1022:2018, clause 7.3



This document is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 360172

Date of issue: 06/12/23
Sample weight: 10,24 kg Kg
Sample name: PAPILLON 4 legs wood_K280/B_(P1322)



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 1

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 16/11/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of sharp edges and corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not be possible for any load bearing part of the seating to come loose unintentionally	No
Parts which are lubricated: • All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 8 \text{ mm} \leq 25 \text{ mm}$: • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present No

Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013+AC:2013:

YES

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 2

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 06/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Information for use EN 16139:2013+AC:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user (Valuated only English and Italian languages)	Present
Information regarding the intended use (Annex B of EN 16139:2013+AC:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013+AC:2013:	YES
---	------------

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 3

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 17/11/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Seat and back static load test and seat front edge static load test EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.4 and 6.5 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	410	10	No defects

Note:

According to EN 1728:2012+AC:2013, back force has been reduced from 560 N to 410 N to avoid tipping.

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 4

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 17/11/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Vertical load on back rest EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clause 6.6 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

The test results comply with the requirements of clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 5

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 23/11/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.17 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 6

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 01/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Seat front edge durability test EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.18 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	50.000	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 7

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 04/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.15 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
460	1.000	10	No defects

Note: according to EN 1728:2012+AC:2013, horizontal force has been reduced from 500 N to 460 N, to avoid tipping.

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 8

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 04/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.16 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
280	1.000	10	No defects

Note: according to EN 1728:2012+AC:2013, horizontal force has been reduced from 400 N to 280 N, to avoid tipping.

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 9

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 05/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Seat impact test EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.24 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	seat loading point (A)	10	No defects
25	240	on the longitudinal axis, 100 mm from the front seat edge	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
360172 / 10

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 05/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Back impact test EN 1728:2012+AC:2013

Test performed according to the test method EN 1728:2012+AC:2013, clauses 6.25 and in accordance to the test parameters of EN 16139:2013+AC:2013, table 1

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

The test results comply with the requirements in clause 5 of standard EN 16139:2013+AC:2013, level 1

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian
[Signature]

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 11

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 05/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 159 N

Forwards overturning

Horizontal force : 20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force : 159 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat : /

Sideways overturning for chairs with arms

Horizontal force : /

Sideways overturning for chairs without arms

Horizontal force : 20 N does not overturn

Forwards overturning for chairs with footrest

Horizontal force : /

The test result complies with the requirements of EN 1022:2005

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian
[Signature]

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

360172 / 12

Revision: 0
Date of sample receipt: 16/11/23
Date of test: 05/12/23
Date of issue: 06/12/23



Sample name: PAPILLON 4 legs wood_K280/B_(P1322)

BRADO S.P.A.
VIA CAL DI MEZZO 3
31049 VALDOBBIADENE (TV)
ITALIA

Stability EN 1022:2018, clause 7.3

Type of chair: fixed geometry

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

Forwards overturning

Forwards overturning, clause 7.3.1 : does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2 : /

Corner stability, clause 7.3.3 : /

Sideways overturning

Sideways overturning, all seating without arm rests, clause 7.3.4 : /

Seating with arm rests, clause 7.3.5.2 : /

Seating with raised side edges, clause 7.3.5.3 : does not overturn

Rearwards overturning

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 159 N : does not overturn

Tilting seating, clause 7.4.2 : /

Reclining seating with leg rest, clause 7.4.3 : /

Reclining seating without leg rest, clause 7.4.4 : /

Rearwards stability test for rocking chairs, clause 7.4.5 : /

The test results comply with the requirements in clause 7.2 of standard EN 1022:2018

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.